



Split-Type Air Conditioner Units

Product Fiche



Series:

C A+++

Q Black

Q Plus

CM

Freedom F

J-Smart



Εμπορικό Σήμα: AUX

Μοντέλο	ASW-H09B7/CM SERIES-EU	ASW-H12C5/CM SERIES-EU	ASW-H18E3/CM SERIES-EU	ASW-H24F1/CM SERIES-EU
Εσωτερική μονάδα	ASW-H09B7/CM SERIES-EU - IDU	ASW-H12C5/CM SERIES-EU - IDU	ASW-H18E3/CM SERIES-EU - IDU	ASW-H24F1/CM SERIES-EU - IDU
Εξωτερική μονάδα	AS-H09B7/CM SERIES-EU - ODU	AS-H12C5/CM SERIES-EU - ODU	AS-H18E3/CM SERIES-EU - ODU	AS-H24F1/CM SERIES-EU - ODU
Ηχητική Ισχύς (εσωτερική/εξωτερική μονάδα) [dB(A)]	54/61	56/62	56/63	62/65
Ψυκτικό Υγρό (Τύπος/gr)	R32	R32	R32	R32
GWP	675	675	675	675
Ισοδύναμο CO2 (tonnes)	0.37	0.41	0.70	0.81
SEER	8.5	8.5	8.8	8.7
Ενεργειακή Κλάση σε Ψύξη	A+++	A+++	A+++	A+++
Ετήσια Κατανάλωση Ρεύματος σε Ψύξη [1] [KWh/y]	112	145	215	246
Φορτίο Σχεδιασμού σε Ψύξη [KW]	2.7	3.5	5.4	6.1
SCOP (Θέρμανση Μέσης Ζώνης)	4.6	4.6	4.6	4.6
Ενεργειακή Κλάση σε Θέρμανση (Μέση Ζώνη)	A++	A++	A++	A++
Ετήσια Κατανάλωση Ρεύματος σε Θέρμανση (Μέση Ζώνη) [2] [KWh/y]	700	853	1339	1644
Φορτίο Σχεδιασμού σε Θέρμανση (Μέση Ζώνη) [KW]	2.3	2.8	4.4	5.4
Θέρμανση Θερμής Ζώνης	617	866	1303	1763
Θέρμανση Ψυχρής Ζώνης	0	0	0	0
Παραγωγή εφεδρικής ενέργειας σε συνθήκες σχεδιασμού (Θέρμανση Μέσης Ζώνης) [KW]	-	-	-	-

Η διαρροή ψυκτικού μέσου επιδρά στο φαινόμενο της κλιματικής αλλαγής. Ψυκτικό μέσο με χαμηλότερο δυναμικό υπερθέρμανσης του πλανήτη (GWP) επιδρά λιγότερο στην παγκόσμια αύξηση της θερμοκρασίας συγκριτικά με ένα ψυκτικό μέσο υψηλότερου GWP, σε περίπτωση που διαρρεύσει στην ατμόσφαιρα. Αυτή η συσκευή περιέχει ψυκτικό μέσο με GWP ίσο με [675]. Αυτό σημαίνει ότι αν 1kg αυτού του ψυκτικού μέσου διαρρεύσει στην ατμόσφαιρα, η υπερθέρμανση του πλανήτη θα επηρεαστεί [675] φορές υψηλότερα από 1 κιλό CO₂, σε περίοδο 100 ετών. ΜΗΝ επιχειρίσετε να παρέμβετε στο ψυκτικό κύκλωμα ή να αποσυναρμολογήσετε το προϊόν μόνοι σας. Θα πρέπει να το αναλάβει αυστηρά αδειοδοτημένος τεχνικός.

Περιέχει φθοριούχα αέρια.

[1] [2] Ετήσια Κατανάλωση Ρεύματος "XYZ" kWh, βάσει αποτελεσμάτων τυποποιημένων δοκιμών. Η πραγματική κατανάλωση ρεύματος εξαρτάται από τον τρόπο χρήσης και τοποθέτησης της συσκευής.

Σημείωση: Ελέγξτε τις παραπάνω πληροφορίες βάσει του μοντέλου που αναγράφεται στην ετικέτα τεχνικών προδιαγραφών που φέρει η συσκευή.



Product Fiche

CM Series

Brand: AUX

Model(s)	ASW-H09B7/CM SERIES-EU	ASW-H12C5/CM SERIES-EU	ASW-H18E3/CM SERIES-EU	ASW-H24F1/CM SERIES-EU
Indoor	ASW-H09B7/CM SERIES-EU - IDU	ASW-H12C5/CM SERIES-EU - IDU	ASW-H18E3/CM SERIES-EU - IDU	ASW-H24F1/CM SERIES-EU - IDU
Outdoor	AS-H09B7/CM SERIES-EU - ODU	AS-H12C5/CM SERIES-EU - ODU	AS-H18E3/CM SERIES-EU - ODU	AS-H24F1/CM SERIES-EU - ODU
Sound power level at standard rating (indoor/outdoor) [dB(A)]	54/61	56/62	56/63	62/65
Refrigerant / Mass (type/gr)	R32	R32	R32	R32
GWP	675	675	675	675
SEER	8.5	8.5	8.8	8.7
Energy class in cooling mode	A+++	A+++	A+++	A+++
Annual electricity consumption in cooling [1] [KWh/y]	112	145	215	246
Design load in cooling mode [KW]	2.7	3.5	5.4	6.1
SCOP (average heating season)	4.6	4.6	4.6	4.6
Energy class in heating (average season)	A++	A++	A++	A++
Annual electricity consumption in heating (average season) [2] [KWh/y]	700	853	1339	1644
P design average season [KW]	2.3	2.8	4.4	5.4
Warmer heating season	617	866	1303	1763
Colder heating season	0	0	0	0
Back up heating capacity at reference design condition (heating average season) [KW]	-	-	-	-

Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to [675]. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be [675] times higher than 1kg of CO₂, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.

Contains fluorinated greenhouse gases.

[1] [2] Energy consumption "XYZ" kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.

Note: Please check the model information above according to the model name on the nameplate.

Split-Type Air Conditioner Units

Product Fiche



Manufacturer

NINGBO AUX AIR CONDITIONER CO.,LTD.
No.1166, Mingguang North Road, Jiangshan, Yinzhou
District, Ningbo Zshejiang Province, China:315191



Importer

Westnet Distribution Single Member S.A.
Address: Thivaidos 22, 14564, Kifisia
www.mywestnet.com